

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26

Version: 2.0

Page: 1/10

(30345721/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Baxxodur® EC 310

#### Recommended use of the chemical and restriction on use

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: amine  
Synonyms: Polyetheramine

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Met. Corr.	1	Corrosive to metals
Acute Tox.	3 (oral)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

#### Label elements

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 2/10  
(30345721/SDS\_GEN\_US/EN)

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H290	May be corrosive to metals.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H301	Toxic if swallowed.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye/face protection.
P273	Avoid release to the environment.
P264	Wash with plenty of water and soap thoroughly after handling.
P234	Keep only in original packaging.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
P310	Rinse mouth.
P330	Rinse mouth.
P303 + P362	IF ON SKIN (or hair): Wash with plenty of soap and water.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.

Precautionary Statements (Storage):

P405	Store locked up.
P406	Store in a corrosion-resistant/... container with a resistant inner liner.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
39423-51-3	>= 90.0 - <= 100.0%	Polyetheramine

---

## 4. First-Aid Measures

Description of first aid measures

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 3/10  
(30345721/SDS\_GEN\_US/EN)

### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

### If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further symptoms are possible

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, carbon dioxide, foam

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
No particular hazards known.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### Impact Sensitivity:

Remarks: No data available.

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 4/10  
(30345721/SDS\_GEN\_US/EN)

---

### 6. Accidental release measures

#### **Personal precautions, protective equipment and emergency procedures**

Wear appropriate respiratory protection. Use personal protective clothing. Ensure adequate ventilation.

#### **Environmental precautions**

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

#### **Methods and material for containment and cleaning up**

Spills should be contained, solidified, and placed in suitable containers for disposal.

---

### 7. Handling and Storage

#### **Precautions for safe handling**

Containers should be opened carefully in well-ventilated areas to avoid static discharge.

Protection against fire and explosion:

Take precautionary measures against static discharges.

#### **Conditions for safe storage, including any incompatibilities**

Segregate from acids and acid forming substances.

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Keep container tightly closed and in a well-ventilated place. Keep away from sources of ignition - No smoking. Keep container tightly closed.

Storage stability:

Keep container dry because product takes up the humidity of air.

---

### 8. Exposure Controls/Personal Protection

No occupational exposure limits known.

#### **Advice on system design:**

Provide local exhaust ventilation to control vapours/mists.

#### **Personal protective equipment**

##### **Respiratory protection:**

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### **Hand protection:**

Chemical resistant protective gloves

##### **Eye protection:**

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 5/10  
(30345721/SDS\_GEN\_US/EN)

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Hands and/or face should be washed before breaks and at the end of the shift. When using, do not eat, drink or smoke. Remove contaminated clothing. Store work clothing separately.

## 9. Physical and Chemical Properties

Form:	liquid	
Odour:	amine-like	
Odour threshold:	not determined	
Colour:	yellowish	
pH value:	12 ( 100 g/l)	
Melting point:	< -20 °C	
Boiling point:	> 250 °C	
Flash point:	193 °C	(ASTM D93)
Flammability:	not flammable	(other)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	> 200 °C	
Vapour pressure:	1.6 mbar ( 20 °C) 10.5 mbar ( 55 °C)	
Density:	0.987 g/cm <sup>3</sup> ( 20 °C)	
Vapour density:	not determined	
Partitioning coefficient n-octanol/water (log Pow):	-1.41 ( 25 °C)	(calculated)
Self-ignition temperature:	20 °C	
Thermal decomposition:	No data available. 145 °C, 30 kJ/kg (DSC (DIN 51007)) 315 °C, > 340 kJ/kg (DSC (DIN 51007)) Thermal decomposition above the indicated temperature is possible. self-accelerating reaction	
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	99.9 mm <sup>2</sup> /s ( 20 °C)	
Particle size:	The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	( 20 °C) miscible	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 6/10  
(30345721/SDS\_GEN\_US/EN)

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effect on metals.

Oxidizing properties:

not fire-propagating

Formation of

Remarks:

No data available.

flammable gases:

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

The product is chemically stable.

#### Conditions to avoid

No conditions known that should be avoided.

#### Incompatible materials

acids

#### Hazardous decomposition products

Decomposition products:

No hazardous decomposition products known.

Thermal decomposition:

145 °C (DSC (DIN 51007))

315 °C (DSC (DIN 51007))

Thermal decomposition above the indicated temperature is possible. self-accelerating reaction

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Of high toxicity after single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard. Of low toxicity after short-term skin contact.

##### Oral

Type of value: LD50

Species: rat

Value: > 50 - < 200 mg/kg (OECD Guideline 423)

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 7/10  
(30345721/SDS\_GEN\_US/EN)

### Inhalation

Species: rat

Value: (IRT)

Exposure time: 8 h

No mortality within the stated exposition time as shown in animal studies.

### Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (OECD Guideline 402)

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

### Irritation / corrosion

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes.

### Skin

Result: Non corrosive.

Method: Epiderm Corrosivity Test

Species: rabbit

Result: Irritant.

Method: OECD Guideline 404

### Eye

Species: In vitro assay

Result: Risk of serious damage to eyes.

Method: HET-CAM test in vitro

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig

Result: Non-sensitizing.

Method: similar to OECD guideline 406

### Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: No adverse effects were observed after repeated dermal exposure in animal studies. After repeated exposure the prominent effect is local irritation.

### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in studies with mammals.

### Carcinogenicity

Assessment of carcinogenicity: No data available.

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 8/10  
(30345721/SDS\_GEN\_US/EN)

### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test (OECD 421/422).

### Teratogenicity

Assessment of teratogenicity: In animal studies the substance did not cause malformations. The results were determined in a Screening test (OECD 421/422).

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further symptoms are possible

### Medical conditions aggravated by overexposure

Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product. See MSDS section 11 - Toxicological information.

---

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Aquatic invertebrates

EC50 (48 h) 13.0 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)  
Nominal values (confirmed by concentration control analytics)

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

OECD Guideline 209 aerobic

activated sludge, domestic/EC20 (30 min): approx. 130 mg/l

The details of the toxic effect relate to the nominal concentration.

### Persistence and degradability

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

Not readily biodegradable (by OECD criteria). Poorly biodegradable. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Elimination information

< 10 % DOC reduction (28 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Bioaccumulative potential

#### Bioaccumulation potential



# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 9/10  
(30345721/SDS\_GEN\_US/EN)

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

### Additional information

Adsorbable organically-bound halogen (AOX):  
This product contains no organically-bound halogen.

---

## 13. Disposal considerations

### Waste disposal of substance:

Dispose of in a licensed facility. Do not discharge into waterways or sewer systems without proper authorization.

### Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

---

## 14. Transport Information

### Land transport

USDOT

Hazard class:	6.1
Packing group:	III
ID number:	UN 2810
Hazard label:	6.1
Proper shipping name:	TOXIC LIQUID, ORGANIC, N.O.S. (contains POLYETHERAMINE)

### Sea transport

IMDG

Hazard class:	6.1
Packing group:	III
ID number:	UN 2810
Hazard label:	6.1
Marine pollutant:	NO
Proper shipping name:	TOXIC LIQUID, ORGANIC, N.O.S. (contains POLYETHERAMINE)

### Air transport

IATA/ICAO

Hazard class:	6.1
Packing group:	III
ID number:	UN 2810
Hazard label:	6.1
Proper shipping name:	TOXIC LIQUID, ORGANIC, N.O.S. (contains POLYETHERAMINE)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

# Safety Data Sheet

## Baxxodur® EC 310

Revision date : 2017/07/26  
Version: 2.0

Page: 10/10  
(30345721/SDS\_GEN\_US/EN)

**EPCRA 311/312 (Hazard categories):** Acute;

**NFPA Hazard codes:**

Health : 3      Fire: 1      Reactivity: 0      Special:

**HMIS III rating**

Health: 3      Flammability: 1      Physical hazard: 0

**Assessment of the hazard classes according to UN GHS criteria (most recent version):**

Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Acute Tox.	3 (oral)	Acute toxicity
Acute Tox.	5 (dermal)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation

## 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations  
SDS Prepared on: 2017/07/26

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Baxxodur® EC 310 is a registered trademark of BASF Corporation or BASF SE  
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET